




T"OALSON has built up an excellent worldwide reputation with their equipment used by players of all standards. **T"OALSON** is the brand name of Toa Strings providing top quality racket products through their long-term expertise and latest technology.





ANGEL FILM

Double layers of new special Angel Film coating on the outer wraps gives outstanding durability and excellent power creating ultimate performance.










New innovation, Zigzag string.

Zigzag shaped polyester string provides great elasticity and ball bite.




After the racket has been strung, the zigzag shape is smoother. The string energy returns to its original shape and provides outstanding elasticity and spin.






There are differences of rebound speed and spin after zigzag process.



This graph indicates Rebound Speed after impact. Zigza is faster due to the zigzag process.



between Zigza and Normal Polyester without zigzag process which is tested by high-speed camera.



RENCON DEUIL Spin



Three raised monofilament cores provide three rough surfaces for outstanding spin on impact.







THIS HIGH PERFORMANCE ELASTOMER IS IN 6 MONOFILAMENT CORES AND EXTRUDED TOGETHER WITH A HIGH VISCOSITY POLYESTER OFFERING GREATER **DURABILITY AND BETTER RETENTION OF STRING TENSION.**







GAUGE 1.20mm

200M SPOOL



Cross section picture for RENCON 120

RENCON125





GAUGE 1.25mm LENGTH 13,0m

200M SPOOL



Cross section picture for RENCON 125

RENCON130





GAUGE 1.30mm LENGTH 13.0m

200M SPOOL






Cross section picture for RENCON 130

Infinity of your performance MUSEN

(English translation is 'Infinity')

Two twisted high resilient mugen monofilaments are filled into multifilament filled up with the polyurethane. It creates the excellent power beyond imagination from softer playability.



Two twisted mugen monofilaments

mugen-125 [POWER/SPEED]

mugen=infinity<mugen-125 in speed



GAUGE 1.25mm LENGTH 13.0m



Cross section

mugen-130 [SPEED/CONTROL]

mugen=infinity<mugen-130 in control



GAUGE 1.30mm



Cross section picture for mugen-130

mugen-130SPIN [SPIN/CONTROL]

mugen=infinity<mugen-130 spin



GAUGE 1.25-1.40mm LENGTH 13.0m



Cross section picture for mugen-130SPIN





ASTERISM technology Three Asterisk shape cores have been covered with a very thin multifilament layer which provides outstanding softer playability.



ASTERISM 125 SOFT

Softer playability GAUGE 1.25mm LENGTH 13.0m



NATURAL



ASTERISM 130 MILD

Mild feeling on impact GAUGE 1.30mm



NATURAL



Has been developed with the experience of more than 50 years of R & D. Different elastic composite core (which is made of two different high elastic nylon) is made as the Asterisk shape reacting two opposite functions such as absorbing the shock when hitting the ball and accelerating the ball providing maximum playability.

ASTERISK

The Finest Impact

ASTERISK 120



Benefit: Maximum touch with comfort

GAUGE 1.20mm LENGTH 13.0m



ELASTICITY

Cross section picture for Asterisk 120

A Revolutionary Feel in Power



Benefit: Greater feel in power GAUGE 1.25mm LENGTH 13.0m



Cross section picture for Asterisk 125

A Revolutionary Impact

ASTERISK 130



Benefit: Maximum control in power GAUGE 1.30mm LENGTH 13.0m



PLAYABILITY

Cross section picture for Asterisk 130



Innovative Spin

ASTERISK 130 SPIN



Benefit: Maximum spin and ball bite GAUGE 1.25~1.40mm LENGTH 13.0m





Long Lasting Performance



Benefit: Maximum durability with Asterisk core

GAUGE 1.35mm LENGTH 13.0m






Cross section picture for Asterisk 135

WHITE =

ULTIMATE 115 HYBRID CONTROL



 $\begin{array}{l} \textbf{Gauge} \\ \langle \textbf{MAIN/CROSS} \rangle \ \textbf{1.10mm/1.15mm} \end{array}$




Length 〈MAIN/CROSS〉 7.0m/6.5m



ULTIMATE 115 HYBRID CONTROL is a hybrid string with ultra-thin gauge (1.10mm) High Tenacity Aramid Fibres "Technora GTN" main string and ultra thin gauge (1.15mm) High Tenacity Nylon cross string. This string is designed for players seeking the playability of thin strings with the durability of thick strings.

ULTIMATE 135 HYBRID KV

HYBRID



Gauge (MAIN/CROSS) 1.35mm/1.30mm

Length

(MAIN/CROSS) 7.0m/6.5m



The concept we designed **TOALSON**. ULTIMATE 135 HYBRID KV was "Durability". **TOALSON**. ULTIMATE 135 HYBRID KV is a hybrid string constructed with KEVLAR® for the main string and a synthetic string for the cross. You will soon realize this quite new harmory of durability from KEVLAR® and playability from synthetic string. **TOALSON**. ULTIMATE 135 HYBRID KV is TOA new challenge for ultimate durability and playability which you will soon discover.

ULTIMATE 130 POLYESTER



Gauge 1.30mm Length 13.5m





TOALSON. ULTIMATE 130 POLYESTER is constructed with 100% polyester fibre which provides outstanding durability and exceptional all around performance.

ULTIMATE 110 POWER



Gauge 1.10mm Length 13.5m





TOALSON. ULTIMATE 110 POWER is constructed with a blend of High Tenacity Nylon monofilaments and new High Tenacity Aramid Fibres "TECHNORA® GTN" by Teijin Ltd. Ultra Thin 18L gauge **T'OALSON**. ULTIMATE 110 POWER is designed for the hard hitting players who want top playability-power, spin and feel-with better durability.

CYBER BLADE TOUR Series

CYBER BLADE TOUR THERMAXE 123



Gauge 1,23mm Length 13.5m



TOALSON. CYBER BLADE TOUR THERMAXE 123 has been developed for tournament players from the opinions and experience of **TOALSON**. contract players worldwide. **TOALSON**. CYBER BLADE TOUR THERMAXE 123 offers the excellent combination of elasticity plus durability by blending the special polyester material with thermoplastic material. We recommend that you reduce your normal tension by 5-10% when using this new string.

CYBER BLADE TOUR THERMAXE 127



TOALSON. CYBER BLADE TOUR THERMAXE 127 has been developed for tournament players from the opinions and experience of **TOALSON**. contract players worldwide. **TOALSON**. CYBER BLADE TOUR THERMAXE 127 offers the excellent combination of control plus durability by blending the special polyester material with thermoplastic material. We recommend that you reduce your normal tension by 5-10% when using this new string.

BIO LOGIC Series

BIOLOGIC 128



Gauge 1.28mm Length 13.5m






TOALSON. BIOLOGIC 128 is multi strand string, which has been recently developed from the original Bio adding a new super-tough strand, combining multifilament and monofilament technologies. The string provides greater elasticity and ball feel for many hours of play.

BIOLOGIC 130CC



Gauge 1,30mm Length 13.5m





TOALSON. BIOLOGIC 130 CC is constructed with a new super tough stand co-polymer which has high elasticity. This string has been recently designed for all types of players seeking stable elasticity and crisp playability with a soft feel. This gives a great enhancement of control and ball bite.

TOALSON* BIOLOGIC 130 CC is new version of BIOLOGIC series.

SYNTHETIC Series

SYNTHETIC GUT ULTRA SOFT



Gauge 1.30mm

13.5m







TOALSON. SYNTHETIC GUT ULTRA SOFT is designed for players seeking excellent durability and outstanding playability. This newly developed string is constructed with durable nylon monofilament & special processed soft nylon multifilament and its combination provides "Ultra" soft feel with greater resiliency.

TOA GOLD



T'OALSON. TOA GOLD is designed for a good combination between durability and elasticity. It is the most popular string in **TOALSON**. series in the world. It performs well in any kind of rackets.

SYNTHETIC TOURNAMENT



Gauge 1.28mm · 1.33mm · 1.38mm Length





200M SPOOL

12m

T'OALSON. SYNTHETIC TOURNAMENT is a new version of the original Synthetic 63. This string is designed for all-round players seeking the standard quality with great cost performance.



MACHINES

Constructed of excellent materials. High performance for you.



≫NEW

X-1000L

FEATURES:

- 1) 6-Point Self-Centering Suspension Mounting System
- 2) Slim profile steel string clamps with a unique self locking adjustment knob
- 3) Linear pull, diamond coated, string gripper with patented roller guide
- 4) Electronically controlled, constant pull tensioning system provides precise tension control from 10 lb to 90 lb (4.5 to 40.8 kg) in 0.1 increments
- 5) The tensioner is a modular component that can be easily removed for servicing or maintenance
- 6) Foot pedal switch for "Hands Free" operation
- 7) Strong, light-weight single extrusion includes base with 1 integrated drawer and a padded tool tray
- 8) Simple compact computer unit





- FEATURES: 1) 6-Point Self-Centering Suspension Mounting System
- 2) Slim profile steel string clamps with a unique self locking adjustment knob 3) Linear pull, diamond coated, string gripper with patented roller guide
- 4) Electronically controlled, constant pull tensioning system provides precise tension control from 10 lb to 90 lb (4.5 to 40.8 kg) in 0.1 increments
- 5) The tensioner is a modular component that can be easily removed for servicing or maintenance
- 6) Foot pedal switch for "Hands Free" operation
- 7) Strong, light-weight aluminum extrusion construction includes base with 2 integrated drawers and a large padded tool tray
- 8) Exclusive digital string length meter



FEATURES:

- 1) 6-Point Self-Centering Suspension Mounting System
 2) Slim profile steel string clamps with a unique self locking adjustment knob
- 3) Linear pull, diamond coated, string gripper with patented roller guide
- 4) Electronically controlled, constant pull tensioning system provides precise tension control from 10 lb to 90 lb (4.5 to 40.8 kg) in 0.1 increments
- 5) The tensioner is a modular component that can be easily removed for servicing or maintenance
- 6) Foot pedal switch for "Hands Free" operation
- 7) Strong, light-weight aluminum extrusion construction includes base with 2 integrated drawers and a large padded tool tray 8) Exclusive digital string length meter



- 1) Electric constant pull tensioner (9 to 90 lb / 4 to 43 kg)
- 2) Digital control panel for +/- tension adjustment, 9 memory settings, lbs/kgs, pulling speed, pre-stretch, knot function, and internal diagnostic check
- 3) 6-Point Quick Mount Support System
 4) Slim profile steel string clamps with a unique self locking adjustment knob
- 5) Diamond coated, rotational string gripper
- 6) 360 degree turntable rotation with locking brake



- 1) Manual spring tension winder (9 to 90 lb / 4 to 43 kg)
- 2) Patented diamond coated, string gripper
- 3) 6-Point Quick Mount support system
- 4) Metal diamond coated string clamps with unique self-locking adjustment knob

TENNIS RACKETS Constructed of excellent materials. High performance for you.



FORTY LOVE Delfino

Material: 100% High Modulus Double Braided Carbon + Titanium Head Size: 101 sq.inch


Length: 27 inch

Recommended Tension: 50±5 Lbs

Weight: 320g±5g Balance: 300mm±5mm Flex: Soft



High Braided Carbon High braided carbon has been applied which provides the stable playability and ball control to be able to absorb any vibration.



Triple Vibration Damping Grommet System (T.V.D.G.S.) It provides ideal stable playability to be able to absorb any hard hit and avoids the vibration at the ball impact by using the absorbing material on top side and both side of racket frame.





Titan Mesh Double Blade Carbon Spring Flex System

Tungsten Weight System





High Braided Carbon

Junior Tennis Rackets

Power Weight System High Braided Carbon Spring Flex System



PH System

Constructed of excellent materials. High performance for you.

Over Grip









ANGEL FILM GRIP

- □Designed for players seeking super absorbent □Comfort & Soft feeling

 $(Thickness) \times (Width) \times (Length)$ 0.5mm×27mm×1,150mm





VOLCANIC OVER GRIP II

FEATURES

□Comfortable Feeling
□Vibration Absorbing

(Thickness)X(Width)X(Length) 0.5mm(凸part;3.00mm)X27mmX1,150mm









PINK YELLOW

VOLCANIC OVER GRIP

(Thickness)X(Width)X(Length) 0.5mm(凸part;3.00mm)X27mmX1,150mm

Super Gripping Performance
Vibration Absorbing Performance









POWER GRIP

FEATURES

Super soft & Comfortable feeling ■ More durable than other grips due to the thicker material(0.7mm) □Non-slip performance

(Thickness) × (Width) × (Length) 0.7mm×27mm×1,150mm







FEATURES



NEO QUICK

Designed for all players seeking a really comfortable grip tape

Quick inhalation & exhalation

 $(Thickness) \times (Width) \times (Length)$

□Extra tackiness is added.

0.5mm×27mm×1,150mm

plus quick absorbency.

FEATURES

For Long BODY RED

WHITE









ULTRA GRIP FEATURES

- □ An over grip
 -Improving racket control
 □ Super thin (0.5mm)
- -High traction
 -Wrap tighter & stay on longer

 Tacky finish
 -Non-slip confidence

 Designed for all players seeking

- a really wet type plus super soft feeling. (Thickness) × (Width) × (Length) 0.5mm×27mm×1,150mm

ASTERISK GRIP TAPE SERIES





ASTERISK GRIP

□ Super soft & Comfortable feeling □ More durable than other grips due to the thicker material(0.7mm) Non-slip performance

(Thickness)X(Width)X(Length) 0.7mmX27mmX1,150mm










PERFORATION TYPE

FEATURES

□Special Perforations
□Improved Absorption of Perspiration (Thickness) × (Width) × (Length) 0.5mm × 27mm × 1,150mm

WHITE	_ 101
BLACK	112
RED	- 70
BLUE	70





 $(Thickness) \times (Width) \times (Length)$

1.75mm×25mm×1,100mm

(Thickness) × (Width) × (Length)

2.0 mm x 25mm x 1,100mm

TENNIS BAGS

Constructed of excellent materials. High performance for you.



HER ITEMS

Constructed of excellent materials. High performance for you.



STENCIL INK STENCIL MARK






n strings

Constructed of excellent materials. High performance for you.



Gauge 0.70mm Length

10,0m NYLON





BL-8000

BL-8000 has been developed to offer high repulsion power and high hitting sound. Once you use this item, from beginners to advanced players, you would feel like using it continuously all the time and this item is a new sense product.

HYBRID



(MAIN/CROSS) 0.70mm/0.64mm

(MAIN/CROSS) 5.5m/5.0m Coating MAIN/NYLON CROSS/NYLON





Gauge

0.70mm

Length

Coating NYLON + NANO

10.0m



ELASTICITY

SYNCHRO SN-6470

Main String (0.70mm) which is constructed with highest grade durable nylon multifilament center core and braided oval shaped nylon monofilament outer wraps provides the high performance such as great smash, spin, cut shot. Cross String (0.64mm) which is constructed with ultra thin nylon multifilament center core and high elastic ultra thin nylon monofilament outer wraps provides high hitting sound and ultimate repulsion power.







Length 10.0m

NYLON





NP 65 (Nano Premium65)

TOALSON. NP 65 (NANO PREMIUM 65) is constructed with highest grade durable nylon multifilament center core and special braided high durable nylon monofilament outer wraps using our latest NANO bonding process technology to provide high durable performance, high repulsion power and maximum playability.
Our NANO bonding process technology has succeeded in improving Durability,

Elasticity and Power.

PREMIUM TOUR 66

TOALSON. PREMIUM TOUR 66 is the best all around badminton string for super playability in all types of situations for all types of players. High elastic ultra thin nylon multifilament center core and high elastic ultra thin nylon monofilament outer wraps provide high resiliency by using our latest special braided process technology and our latest bonding process technology.











highest grade ultra thin nylon multifilament center core and special braided high durable nylon monofilament outer wraps using our latest NANO bonding process technology to provide maximum playability, high repulsion power and high durable performance.







1 STRINGS

Constructed of excellent materials. High performance for you.



TOALSON. PREMIUM 65 is constructed with highest grade durable nylon multifilament center core and special

PREMIUM 65

Gauge 0.70mm Length



10.0m Coating NYLON







Length 10.0m

Gauge

0.70mm






T"OALSON. PREMIUM 65 EX is designed for the players who seek high durability plus all round performance using our latest bonding process technology and highest grade nylon materials.



Gauge 0.68mm

Length 10.0m

NYLON





Gauge 0.70mm Length 10.0m



Coating NYLON





PREMIUM 68

TOALSON. PREMIUM 68 is constructed with highest grade ultra thin nylon multifilament center core and special braided oval shaped nylon monofilament outer wraps using our latest bonding process technology to provide superior high resiliency and excellent playability.

PREMIUM 70

T'OALSON. PREMIUM 70 is constructed with highest grade durable nylon multifilament center core and special braided oval shaped nylon monofilament outer wraps using our latest bonding process technology to provide outstanding durable performance and high resiliency.

Constructed of excellent materials. High performance for you.



FLASTICITY



Cross section picture for Asterisk 120

SYNTHETIC 63

SYNTHETIC 63 provides high elasticity, crisp response and superior durability due to the specially coated surface.

OALSON SYNTHETIC 63



Gauge 1.20mm Length 10.0m



R PI AYARII ITY

BIOLOGIC

BIOLOGIC is a multi-composite string with Bio coating which provides superior shock absorption, softer playability and durability.



Gauge 1.20mm

Length 10.0m

ASTERISK 120

Different elastic composite core is make as the Asterisk shape reacting two opposite functions such as absorbing the shock when hitting the ball and accelerating the ball.

ASTER**I**SK BLUE

1.20mm Length 10.0m

Constructed of excellent materials. High performance for you.



TOALSON **CS-990**

12 PCS PER TUBE





TOALSON **CS-770**

12 PCS PER TUBE

FEATHER SHUTTLECOCKS









TOALSON 350

6 PCS PER TUBE SPEED : FAST MEDIUM SLOW

NYLON SHUTTLECOCKS

GRIP TAPFS

Constructed of excellent materials. High performance for you.



FEATURES

- □ Gripping Performance
 □ Improved Absorption of Perspiration

(Thickness) × (Width) × (Length) 0.5mm(凸part:3mm) x 25mm x 1,000mm



FEATURES

- □ Super Gripping Performance □ Improved Absorption of Perspiration
- (Thickness)×(Width)×(Length) 0.5mm(凸part:3mm) x 25mm x 1,000mm

WHITE BLACK RED BLUE **YELLOW**

STANDARD

Replacement Grip


ASTERISK REPLACEMENT GRIP

FEATURES

- □ Wet Feeling
 □Improved Absorption of Perspiration
- (Thickness) × (Width) × (Length)

RACKFTS

Constructed of excellent materials. High performance for you.



BALANCED SWORD 1000

Material: 100% carbon graphite Weight: 84g±2g Length: 675mm Balance: 293mm±3mm Recommended Tension: 28 lbs



BALANCED SWORD 2000

Material: 100% carbon graphite

Weight: 84g±2g Length: 675mm Balance: 293mm±3mm Recommended Tension: 28 lbs



ZIG LITE 76

Material: carbon graphite Weight: 78g±2g Length: 675mm Balance: 302mm±3mm Recommended Tension: 28 lbs



ZIG LITE 78

Material: carbon graphite Weight: 78g±2g Length: 675mm Balance: 302mm±3mm Recommended Tension: 28 lbs



T-8000

Material: 100% carbon graphite Weight: 85g±2g Length: 670mm Balance: 285mm±3mm Recommended Tension: 28 lbs



MAX POWER 1100

Material: 100% carbon graphite Weight: 87g±2g Length: 675mm Balance: 287mm±3mm

Recommended Tension: 28 lbs



TI MAX POWER 9900


Material: 100% carbon graphite

Weight: 87g±2g Length: 675mm Balance: 287mm±3mm Recommended Tension: 28 lbs



TI MAX POWER 9000

Material: 100% carbon graphite Weight: 87g±2g Length: 675mm Balance: 287mm±3mm Recommended Tension: 28 lbs



TI MAX POWER ISO 2000 NEO (RED)

Material: carbon graphite Weight: 84g±2g Length: 675mm±1mm Balance: 290mm±2.5mm Recommended Tension: 28 lbs



TI MAX POWER 3000 NEO (WHITE)

Material: carbon graphite Weight: 84g±2g Length: 675mm±1mm Balance: 290mm±2.5mm Recommended Tension: 28 lbs



HOT SHOT

MATERIAL: STEEL/ALUMINUM WEIGHT: 110g HEAD SIZE: 54.0 sq. in. LENGTH : 660mm

RECOMMENDED TENSION : 16-18LBS



DROP SHOT

MATERIAL: STEEL/ALUMINUM WEIGHT: 110g HEAD SIZE: 54.0 sq. in.

LENGTH: 660mm RECOMMENDED TENSION: 16-18LBS

TOALSON Sales Network

ASIA

PINNACLE PRADAJAYA PTE LTD.

BLOCK 625 ALJUNIED ROAD #04-06 ALJUNIED INDUSTRIAL COMPLEX SINGAPORE 389836 TEL +65-6744-4127 FAX +65-6747-3726 e-mail:pinne@singnet.com.sg

PINNACLE SPORT SDN. BHD.

1015 Block B Sentral Complex 33 Jalan Segambut Atas 51200 Kuala Lumpur, Malaysia TEL +60-02-03-62502824 FAX +60-02-03-62522087

PT. PRADAJAYA SPORTIVO INDONESIA

JI. Pintu Air Rava No. 11K. Jakarta Pusat - 10710. Indonesia TEL +62-21-350-4505 FAX +62-21-345-5932

POWER SPORT PLUS CO. LTD

1213/517 SOI LADPRAO 94 LADPRAO RD, WANGTHONGLANG BANGKOK 10310 THAILAND TEL +662-2142358 FAX +662-2155241 e-mail:th_power_plus@yahoo.co.th

DYNAMIC SPORTS CORPORATION

5F, K PLAZA BLDG. 18 KAMUNING ROAD. QUEZON CITY, PHILIPPINES TEL +63-2925-2391 FAX +63-2925-1534 e-mail:dynamic@sfi.com.ph

SING WO SPORTS LTD.

3/F, FUNG KING INDUSTRIAL BLDG. 24-28 NAM TIN STREET, KWAI CHUNG, N.T. HONG KONG TEL +852-2481-1283 FAX +852-2429-3028 e-mail:swsport1@netvigator.com

KHALID OVERSEAS TRADING CORP.

SMALL INDUSTRIES STATE SIALKOT-51340 PAKISTAN TEL +92-432-550-055 FAX +92-432-550-054 e-mail:shafqatm@brain.net.pk

MAXPRO SPORTING GOODS CO., LTD. 3F, NO.20, ALLEY 2, LANE 39, SEC. 2 CHUNG HSIAO EAST ROAD TAIPEI, TAIWAN R.O.C. TEL +886-22-351-4153 FAX +886-22-391-2756 e-mail:maxpro@ms17.hinet.net

K.C.VERMA & CO.

BASTI NAU. JALANDHAR-144 002. INDIA

TEL +91-181-253-378 FAX +91-181-223-190 e-mail:kcverma@ila.vsnl.net.in

TENNIS WORLD AGENCIES (1988) LTD.

HASADAN ST. 5, GIL-AMAL INDUSTRIAL ZONE HOD HASHARON ISRAEL TEL +972-9-746-1234 FAX +972-9-744-4922 e-mail:opticalw@zahav.net.il

RAS TANURA SPORTS

P.O. BOX 238 RAHIMA 31941 SAUDI ARABIA

TEL +966-3-667-1748 FAX +966-3-667-1267 e-mail:rtsport_arn@yahoo.com

VIVA SPORTS CO., LTD.

#730-3, MOK-DONG, YANG CHEON-KU, SEOUL 158-054, KOREA TEL +82-2-2644-2387 FAX +82-2-2644-2386 e-mail:viva@vivasports.co.kr

GUANJIA SPORTS CO., LTD.4TH FLOOR, NO.11, 3RD SUI HUA SOUTH STREET JIANG

NAN DA DAO ZHONG, GUANGZHOU, CHINA

TEL: +86-20-8443-1808 Fax: +86-20-8444-4551 e-mail: info@ghsport.com.cn

OCEANIA

TOALSON PRODUCTS NEW ZEALAND

107 LUCKENS ROAD WEST HARBOUR AUCKLAND, NEW ZEALAND TEL +64-09-4165776 FAX +64-09-417-0024 e-mail: graeme@toalson.co.nz

R. BARANOFF & CO. PTY. LTD

9 LAIRD STREET, ST. JOHNS WOOD BRISBANE QUEENSLAND 4060 AUSTRALIA TEL +61-7-336-63415 FAX +61-7-336-63965 e-mail:ron_baranoff@yahoo.com.au

EUROPE

TOA STRINGS EUROPE C/O TOA NEDERLAND EUROPEAN HEAD OFFICE & WAREHOUSE

WARMONDERWEG 5 2171 AH SASSENHEIM HOLLAND TEL +31-252-227269 FAX +31-252-218502 e-mail:info@toalsoneurope.com

WATKINS & DONCASTER

P.O. BOX 5 CRANBROOK GB-TN18 5EZ KENT ENGLAND TEL +44-1580-752972 FAX +44-1580-754054 e-mail:robinford@btconnect.com

SERVIA SPORT AB

LIDINGOVAGEN 75, BOX 27910 S-11594 STOCKHOLM SWEDEN TEL +46-8-4591530 FAX +46-8-6643888 e-mail:serviasport@hotmail.com

JUSSI TAHTINEN OY

PUNAOJANTIE 3, 05800 HYVINKAA, FINLAND

TEL +358-19-434680 FAX +358-19-422998 e-mail:jussi.tahtinen@co.inet.fi

SPORT-KUB FIRM LTD

4-2-109 VERNADSKOGO AV. 119334 MOSCOW, RUSSIA TEL +7-495-9391394 FAX +7-495-1314148 e-mail:okounev@badminton.ru

TOALSON POLSKA

12-14 SKARAJNA STREET LUBIN 20-802 POLAND

TEL +48-81-4469822 FAX +48-81-4709304 e-mail:jarekduda@princepolska.pl

SMP SPORTS MANAGEMENT PROGRAM GmbH. UDO PLAMBERGER

TRAUNKAI 12 A-4820 BAD ISCHL AUSTRIA

TEL +43 664 1605177 e-mail:toalson@smp-austria.com website: http://www.smp-austria.com

EILERS SPORT B.V.

INDUSTRIETERREIN "GROTE POLDER" INDUSTRIEWEG 48B 2382 NW ZOETERWOUDE-RIJINDIJK HOLLAND

TEL +31-715414222 FAX +31-715895675 e-mail:g.fits@eilerssport.nl

NORTH AMERICA

200 WATERFRONT DR. PITTSBURGH, PA. 15222 U.S.A. TEL +1-412-323-9612 FAX +1-412-323-1320 e-mail:tennis@corp.atssports.com http://www.atssports.com

TOA-STRINGS NORTH AMERICA C/O. GAMMASPORTS

200 WATERFRONT DR. PITTSBURGH, PA. 15222 U.S.A. TEL +1-412-323-9612 FAX +1-412-323-1320

SOUTH AMERICA

TOA STRINGS LATINOAMERICA c/o MADRUGA IMPORTACIONES

BARTOLOME MITRE 55 (5850) RIO TERCERO-CORDOBA, ARGENTINA TEL +54-3571-425111 FAX +54-3571-425111 e-mail:madruga@toalson.com.ar

TENNIS INTERNATIONAL

5 ORIENTE 368 VINA DEL MAR CHILE

TEL +56-32-2881076 FAX +56-32-2736553 e-mail:apeydechile@yahoo.com

IMPORTADORA HAHO CIA. LTDA

HOMERO HUERTAS A . AVENIDA DEL EJERCITO 402 Y P. SOLANO, ECUADOR TEL +593-4-2394-588 +593-4-2394-229 FAX +593-4-2289-571 e-mail:hohuer@hotmail.com

QUISSAK SPORTS LTDA

RUA BENEDITO LEMOS LEITE, 184, COTIA - SP CEP: 06717-160 BRAZIL TEL +55-11-4148-1696 FAX +55-11-4148-1696 e-mail:contato@quissak.com.br

FEDERICO LUSSICH

BASILEA 6309 MONTEVIDEO URUGUAY

TEL +598-26060327 FAX +598-26060327 e-mail:federico_lussich@hotmail.com

TOA-STRINGS CO.,LTD. KOBE JAPAN

1-24 Yagumodori 3-chome, Chuo-ku Kobe 651-0078 JAPAN

Tel +81-78-232-1995

Fax +81-78-232-1931

E-mail toa@toalson.co.jp

Visit our web site at http://www.toalson.co.jp

TOA-STRINGS EUROPE

WARMONDERWEG 5 2171 AH SASSENHEIM HOLLAND

TRI +31-252-227269

Fax +31-252-218502

E-mail info@toalsoneurope.com

Visit our web site at www.toalsoneurope.com

OA-STRINGS LATINOAMERICA

C/O MADRUGA IMPORTACIONES

BARTOLOME MITRE 55(5850)RIO TERCERO-CORDOBA ARGENTINA

Telefax +54-3571-425111

E-mail madruga@toalson.com.ar

TOA-STRINGS CHINA

C/O GUANJIA SPORTS CO., LTD.

4TH FLOOR, NO.11, 3RD SUI HUA SOUTH STREET JIANG NAN DA DAO ZHONG, GUANGZHOU, CHINA

Tel +86-20-8443-1808

Fax +86-20-8444-4551

E-mail info@ghsport.com.cn